

BC200

Power Supply/Battery Enclosure

Altronix BC200 is a UL Recognized NEMA 1 Rated power supply/battery enclosure that can accommodate a wide variety of Altronix power supplies, sub-assemblies, and accessories. Altronix enclosures feature ample knockouts that are suitable for 3/4" and 1" conduits.



BC200

Specifications**Features**

- 19 Gauge steel enclosure.
- Ample knockouts accommodating either 3/4" or 1" conduits for convenient access
- Extra battery/component shelf, cam lock, and keys are included

Capacity

- Fits one (1) 12VDC/7AH or two (2) 12VDC/4AH batteries

Agency Listings


Component Enclosure USR, CNR:
UL Recognized

Physical and Environmental**Dimensions (H x W x D)**

12.25" x 7.25" x 4.5" (311.15mm x 184.15mm x 114.3mm)

Product Weight 6.45 lb. (2.93 kg)

Shipping Weight 7.25 lb. (3.29 kg)


BC200
Open

BC200

Power Supply/Battery Enclosure

Product Position Chart for the Following Models:

Altronix Products	Mounting
ACM8, ACM8CB, ACMS8, ACMS8CB, AL300ULXB, AL400ULXB2, AL600ULXB, AL1012ULXB, AL1024ULXB2, eFlow3NB, eFlow4NB, eFlow6NB, eFlow102NB, eFlow104NB, LINQ8ACM, LINQ8ACMCB, OLS75, OLS120, OLS120D2, OLS180, OLS250	(A)
ACM4, ACM4CB, AL175ULB, LINQ8PD, LINQ8PDCB, MOM5, PD4UL, PD4ULCB, PD8UL, PD8ULCB, PDS8, PDS8CB	(B)
T1618300, T2428300, T2428300220, T2428300277	(C)
T1224150, T2428175	(D)
T1250, T12100, T16100, T1618100	(E)



Dimensions and Drawing

Dimensions (H x W x D approximate)

12.25" x 7.25" x 4.5" (311.15mm x 184.15mm x 114.3mm)

